

## INVITATION FOR TENDER FOR SUPPLY OF EQUIPMENT:

**High performance Quadrupole Inductively Coupled Plasma Mass Spectrometer (ICPMS) with Collision and Reaction Cell using simultaneous three channel gas pneumatics.**

Sealed tender offers are invited in two separate sealed covers (Technical and Commercial offers) from eligible manufacturers/suppliers or their direct Indian agents for the supply of the following equipment.

Please send offers, **ALONG WITH DESCRIPTIVE CATALOGUE/ BROCHURE**. The validity of the bid should be at least four months (120 days) or more from the date of the opening of this tender. Please ensure that your quotation reaches not later than **04.10.2017 at 15:00 Hrs** at the following address:

**Prof. Sudarsan Neogi ,Chemical Engineering Department,  
Indian Institute of Technology Kharagpur – 721 302, West Bengal, India**

Earnest money of **Rs.200000.00** is to be deposited in the form of Account payee Demand Draft in favour of IIT Kharagpur, payable at Kharagpur, India. Any bid which is not accompanied with an EMD shall be summarily rejected. Earnest money deposited will be forfeited if the tenderer withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender. No interest will be paid on the earnest money of the unsuccessful bidders.

Tender Reference	<b>IIT/SRIC/CHE/SLG/ SUN / 2017-18/EQ-2, Dated: 31.08.2017</b>
Last Date and Time for submitting the tender document	<b>04.10.2017 at 15:00 Hrs (Indian time)</b>
Time and Date of Opening of Technical Bids	<b>04.10.2017 at 16:00 Hrs (Indian time)</b>
Place of Opening Tender	<b>Chemical Engineering Department, Indian Institute of Technology Kharagpur – 721 302, West Bengal, India</b>
Address of Communication	<b>As stated above</b>
Contact Telephone Numbers	<b>+91- 3222 - 283936</b>
E-mail	<b>sneogi@che.iitkgp.ernet.in</b>

## DETAILED TECHNICAL SPECIFICATIONS FOR ICP-MS

**High performance Quadrupole Inductively Coupled Plasma Mass Spectrometer (ICPMS) with Collision and Reaction Cell using simultaneous three channel gas pneumatics.**

**Sample Introduction** including Peltier Cooled Spray Chamber (Temp Range -5 to 20 Deg C), Glass and PFA Spray Chambers, PFA Nebulizer, Ni Sample and Skimmer cones. Suitable Accessory to directly aspirate liquid samples with TDS > 20 %. HF Resistant kit is to be quoted in the offer. The ICP MS should come with compatible peripheral and/or equipment for ionic speciation studies.

**Ion Source and RF plasma:** Computer controlled RF generator operating from 500 to 1600 watts for automatic control of torch ignition, shutdown, and system warm up. The system should be able to change over from normal Plasma conditions to cool Plasma with direct control from software. The Plasma torch should have provision for software controlled alignment for horizontal position, vertical position and sampling depth. Standard large orifice Ni sampling and skimming cones with suitable diameters are to be provided. The ion extraction/deflection system should have efficient mechanism for removing all neutrals from the Ion path. The Ion path must be maintenance free.

**Cell Technology:** ICP MS shall incorporate a Cell offering operation: Standard Mode, Collision Cell (He) Mode with KED and Reaction Cell for interference removal. Reaction cell should allow Hydrogen, Methane & Ammonia with mix gas (H<sub>2</sub>/He or NH<sub>3</sub>/He mixes) option. Vendor should provide valid application note/Data on the use of mix gases. Reaction cell should have low mass cut off feature. Cell must be Non-consumable with zero maintenance.

System should have dedicated MFC devices to control plasma, auxiliary, nebulizer, reaction gas and collision gas.

**Quadrupole Assembly:** User definable resolution for improved dynamic range and abundance sensitivity. Mass calibration assessed and automatically updated. The Mass range should be from 2-280 amu or better. Scan speed: 3500 amu/sec or better.

**Ion Detector Assembly:** The ion detector is a simultaneous dual mode discrete dynode electron multiplier, 9 order or more magnitude of dynamic range. The dual-mode detector assembly must come standard with the system.

**Vacuum System:** Turbo pump should be differential pumping. In the event of power failure, either high vacuum is maintained or the entire vacuum system is to be automatically back-filled by inert gas to preserve the cleanliness of the system.

**Performance Specifications:** Sensitivity specifications will be considered (Guaranteed/factory specifications will be considered. Not the Typical performance.) To be demonstrated during Demo):

Sensitivity(MCPS/PPM OR KCPS/PPB):

Li  $>50.0 \times 10^6$  cps/ppm; Co  $>120.0 \times 10^6$  cps/ppm; In or Y  $>250.0 \times 10^6$  cps/ppm; U or TI  $>250.0 \times 10^6$  cps/ppm; Oxide production  $< 2\%$ , and doubly charged species  $<3\%$  under standard operating condition; Oxide ratio (%) CeO/Ce  $<2$  or better; Ba<sup>++</sup> or Ce<sup>++</sup>/ Ba or Ce  $<3$  or better; Background mass 4.5/9/220: No gas  $<1$  cps  
Short Term Stability  $<2\%$  RSD or better; Short term precision  $< 3\%$  RSD; Long Term Stability $<4\%$  RSD over 4 hours; Isotope Ratio Precision (%RSD)  $< 0.1$  or better;

**System Controller and Operating System:** Suitable Data Station with all Software controls & future upgrade controls with Instrument software. The software must be able to provide full automatic control of the process of analyzing samples. This must include acquiring data, analysis, producing a report, and the option to upgrade to an incorporated Excels like spreadsheet for report flexibility. Software should provide comprehensive functionality for analysis through fully automated process with auto tuning. The software should have data handling and data management, Data security and access control with 21 CFR part 11 environment supports, compliance management and customizable reporting etc.

**Other Supplies included with the system:-**

Re Circulating Chiller, NIST Certified Multi element (at least 23 elements) aqueous calibration standard (100 ml), Fume hood with accessories, Argon Gas Cylinder – 10 numbers, Helium Gas Cylinder – 1 number, Reaction Gas Cylinder like Oxygen ,Hydrogen & Ammonia - 1 number each, Gas Regulator for all the gases mentioned above – 1 number each, Branded HP/Dell Personal Computer, Latest Laser Jet color printer.

**Auto sampler:-** Auto sampler of more than 200 samples capacity to be quoted optionally.

**Training:-** Vendor has to give 5 days on site training after the installation.

**Warranty & AMC:-** Standard 2 years Warranty, followed by three years extended warranty.

## GENERAL TERMS & CONDITIONS

PLEASE SPECIFICALLY INDICATE THE FOLLOWING POINTS IN YOUR QUOTATIONS AND COMPLY THE TERMS AS MENTIONED HEREUNDER:-

1. TENDERS ARE INVITED COMPLYING THE REQUIREMENT FOR TENDER AS DETAILED IN THE TENDER SPECIFICATION TO BE SUBMITTED IN THE COMPANY'S / FIRM'S LETTERHEAD NEATLY PRINTED / TYPED DULY SIGNED BY AUTHORIZED PERSON WITH THE SEAL OF THE BIDDERS. ALL ENVELOPS CONTAINING THE TENDER SHOULD BE PROPERLY SEALED. SEPARATE ENVELOPS SHOULD BE USED FOR TECHNICAL AND PRICE BID AND INDICATION TO THEIR EFFECT MAY PLEASE BE SUPERSCRIBED ON THE ENVELOP.

### **THE FOLLOWING DOCUMENTS ARE REQUIRED FROM THE INDIAN AGENTS OF FOREIGN FIRMS:**

1.1 FOREIGN PRINCIPAL'S PROFORMA INVOICE INDICATING THE COMMISSION PAYABLE TO THE INDIAN AGENT AND NATURE OF AFTER SALES SERVICE TO BE RENDERED BY THE INDIAN AGENT.

1.2 COPY OF THE AGENCY AGREEMENT WITH THE FOREIGN PRINCIPAL INDICATING THE NATURE OF AFTER SALES SERVICES, PRECISE RELATIONSHIP BETWEEN THEM AND THEIR MUTUAL INTEREST IN THE BUSINESS.

1.3 PLEASE ENCLOSE THE DOCUMENT(S) RELATED TO THE ENLISTMENT OF THE INDIAN AGENT WITH DIRECTOR GENERAL OF SUPPLIES & DISPOSALS (DGS & R) UNDER THE COMPULSORY REGISTRATION SCHEME OF MINISTRY OF FINANCE.

2. TECHNICAL CATALOGUE/LEAFLET SHOULD BE ENCLOSED WITHOUT FAIL. PROVIDE COMPLIANCE STATEMENT WITH RESPECT TO THE TECHNICAL SPECIFICATIONS MENTIONED ABOVE.
3. PLEASE CONFIRM WHETHER YOU ARE AUTHORISED TO QUOTE ON BEHALF OF YOUR PRINCIPALS AND IF SO, PLEASE ENCLOSE A COPY OF SUCH AUTHORISATION WITH YOUR QUOTATION.
4. **PRICE BIDS FOR FOREIGN FIRMS:** PRICES ARE TO BE QUOTED ON 'EX-WORKS' DULY PACKED OR ON "FCA/FOB" INTERNATIONAL PORT" BASIS AND ALSO INCLUDING AGENCY COMMISSION PAYABLE TO YOUR INDIAN AGENTS, IF ANY SHOWING CLEARLY THE FOLLOWING BREAK UP:-
  - I) EX-WORKS PRICE
  - II) PACKING & FORWARDING
  - III) FREIGHT
  - IV) ANY OTHER RELEVANT EXPENSES.
  - V) TAXES PAYABLE BY THE INSTITUTE

INSURANCE WILL BE PAID BY OUR INSTITUTE SEPARATELY AND SHOULD NOT FORM PART OF THE QUOTED PRICE.

**PRICE BIDS FOR INDIAN FIRMS:** PRICES ARE TO BE QUOTED ON F.O.R., IIT KHARAGPUR, ON DOOR DELIVERY BASIS CLEARLY SHOWING THE BREAK UP.

5. **PERIOD OF VALIDITY:** BIDS SHALL REMAIN VALID FOR ACCEPTANCE FOR A PERIOD OF 120 DAYS FROM THE DATE OF OPENING.

6. INDIAN AGENTS ADDRESS AND PERCENTAGE OF AGENCY COMMISSION INCLUDED IN ABOVE F.O.B./EX-WORKS PRICE. (THIS WILL BE PAID TO THE INDIAN AGENTS IN INDIAN RUPEES ONLY AND NOT IN **FE**). PLEASE ENCLOSE COPY OF AGENCY AGREEMENT ENTERED INTO WITH YOUR PRINCIPALS INDICATING THE NATURE OF AFTER SALES SERVICES OF INDIAN AGENTS, PRECISE RELATIONSHIP & MUTUAL INTEREST IN THE BUSINESS.
7. **MEASUREMENTS/WEIGHT:** NETT/GROSS OF THE CONSIGNMENT. IN CASE OF AN ORDER, YOU SHALL USE AIR WORTHY PACKAGE (AS APPLICABLE) DULY CERTIFIED WITH DOCUMENTS – PLYTO – SANITARY CERTIFICATE (AS PER QUARANTINE ORDER 2003).
8. **SCOPE OF SUPPLY:** SHOULD INCLUDE FREE INSTALLATION AND COMMISSIONING
9. **PAYMENT TERMS FOR FOREIGN FIRMS**
  - A) 100% PAYMENT THROUGH SIGHTDRAFT/FORIGN DEMAND DRAFT/LC (EXCEPTIONAL CASES)/SWIFT TELE TRANSFER AFTER RECEIPT OF STORE IN GOOD ORDER AND CONDITION.
  - B) BANK CHARGES ON LC/SD (WITHIN INDIA APPLICANT ACCOUNT AND OUTSIDE INDIA TO BENEFICIARY ACCOUNT).
- PAYMENT TERMS FOR INDIAN FIRMS**
  - A) 100% PAYMENT THROUGH CROSSED ACCOUNT PAYEE CHEQUE / ELECTRONIC TRANSFER AFTER RECEIPT OF STORE IN GOOD ORDER AND CONDITION & SUCCESSFUL INSTALLATION.
  - B) ENSURE MENTIONING
    - i) BANK DETAILS OF THE BENEFICIARY, VAT NO., SERVICE TAX NO. AND PAN NUMBER
    - ii) FULL NAME AND ADDRESS OF THE BENEFICIARY ON WHOM ORDER HAS TO BE PLACED
10. WHETHER ANY EXPORT LICENCE IS REQUIRED FROM YOUR GOVERNMENT, IF SO, PLEASE CONFIRM WITH DETAILS.
11. COUNTRY OF ORIGIN OF THE GOODS IS TO BE MENTIONED.
12. THE INSTITUTE SHALL PROVIDE THE CONCESSIONAL CUSTOMS DUTY AND EXCISE DUTY EXEMPTION CERTIFICATE AS PER GOVT. NOTIFICATION NO. 51/96 CUSTOMS DATED: 23.07.1996 AND CENTRAL EXCISE DUTY EXCEMPTION IN TERMS OF GOVT. NOTOFICATION NO. 10/97 – CENTRAL EXCISE DATED: 01.03.1997 AS AMENDED FROM TIME TO TIME.
13. **LIQUIDATED DAMAGES:** THE STORES SHOULD BE DELIVERED / DISPATCHED TO DESTINATION AND READY FOR OPERATION NOT LATER THAN THE DELIVERY DATE SPECIFIED. IT THE SUPPLIER FAILS TO DELIVER ANY OR ALL THE STORES OR PERFORM THE SERVICE BY THE SPECIFIED DATE, LIQUIDATED DAMAGES AT 1% PER MONTH OR PART THEREOF IN RESPECT OF THE VALUE OF STORES WILL BE DEDUCTED FROM THE CONTRACT PRICE SUBJECT TO A MAXIMUM OF 5%. ALTERNATIVELY, THE ORDER WILL BE CANCELLED AND THE UNDELIVERED STORES PURCHASED FROM ELSEWHERE AT THE RISK AND EXPENSE OF SUPPLIER.
14. **PATENT RIGHTS:** THE SUPPLIER SHALL INDEMNIFY THE PURCHASE AGAINST ALL THIRD PARTY CLAIMS OF INFRINGEMENT OF PATENT, TRADEMARK OR INDUSTRIAL DESIGN RIGHTS ARISING FROM USE OF THE GOODS OR ANY PART THEREOF IN INDIA.
15. ONLY THOSE BIDDERS WHO'S BIDS HAVE BEEN TECHNICALLY FOUND ACCEPTABLE WILL ONLY BE INVITED FOR PARTICIPATION IN THE PRICE BID.

16. THOSE BIDDERS WHO DO NOT RECEIVE ANY COMMUNICATION FOR PARTICIPATION IN PRICE BID OPENING MEETING MAY PRESUME THAT THEIR BID HAS NOT BEEN ACCEPTED BY THE INSTITUTE.  
 17. CONDITIONAL OFFER WILL NOT BE ACCEPTED.

18. LATE TENDERS I.E. TENDER RECEIVED AFTER THE DUE DATE AND TIME OF SUBMISSION AS MENTIONED ABOVE SHALL NOT BE ACCEPTED.

19. BIDDERS TO ENCLOSE THE FOLLOWING DOCUMENTS:-

A) CURRENT INCOME TAX AND SALES TAX CLEARANCE CERTIFICATES (GST No.), SERVICE TAX NO. AND PAN NO.

B) BANKER’S SOLVENCY CERTIFICATE

C) SUMMARY OF AUDITED STATEMENT OF ACCOUNTS FOR THE LAST THREE YEARS TO BE ENCLOSED AND FINANCIAL HIGHLIGHTS AND THE KEY PERFORMANCE DURING THE LAST THREE QUARTERS TO BE ENCLOSED AS PER FORMAT:-

COMPANY’S KEY PERFORMANCE

DESCRIPTION	JAN. TO MARCH	APRIL TO JUNE	JULY TO SEPT.
GROSS REVENUE			
PROFIT BEFORE TAX			
PROFIT AFTER TAX			
RETURN ON INVESTED CAPITAL (ROIC)			

D) CUSTOMER SATISFACTION CERTIFICATE FROM ONE SUCH ORGANIZATION IS TO BE ATTACHED WITH THE TECHNICAL BID AND PRICE BID.

E) NAME AND ADDRESS OF MINIMUM THREE CLIENTS TO WHOM SUCH EQUIPMENT HAVE BEEN SUPPLIED SHOULD BE MENTIONED.

20. **WARRANTY / GUARANTEE:** THIS COMPREHENSIVE WARRANTY / GUARANTEE SHALL REMAIN VALID FOR **24 MONTHS & EXTENDED WARRANTY for 03 YEARS** AFTER THE GOODS (OR ANY PORTION THEREOF AS THE CASE MAY BE) HAVE BEEN DELIVERED AND COMMISSIONED TO THE FINAL DESTINATION.

21. THE INSTITUTE DOES NOT BIND ITSELF TO OFFER ANY EXPLANATION TO THOSE BIDDERS WHO’S TECHNICAL BID HAS NOT BEEN FOUND ACCEPTABLE BY THE EVALUATION COMMITTEE OF THE INSTITUTE.

22. ALL TENDERS (UNLESS OTHERWISE SPECIFIED) ARE TO BE SUBMITTED / HANDED OVER TO **Prof. Sudarsan Neogi, Chemical Engineering Department, INDIAN INSTITUTE OF TECHNOLOGY, KHARAGPUR - 721 302** AND ACKNOWLEDGEMENT TO BE OBTAINED.

## **IMPORTANT**

1. IIT Kharagpur authority may accept or reject any or all the bids in part or in full without assigning any reason and does not bind itself to accept the lowest bid. The Institute at its discretion may change the quantity / upgrade the criteria / drop any item or part thereof at any time before placing the Purchase Order.
2. Promptly make arrangements for repair and or replacement of any damaged item (s) irrespective of settlement of claim.
3. In case of any dispute, the decision of the Institute authority shall be final and binding on the bidders.
4. For any query pertaining to this bid document correspondence may be addressed to Prof. Sudarsan Neogi, at the address mentioned above.

### **LAST DATE FOR SUBMISSION OF SEALED BIDS: 04.10.2017**

- 1) Please Note that the Institute remains closed during Saturdays & Sundays and all specified government holidays.
  - 2) Fax, e-mail Tender will not be accepted.
  - 3) The General Terms and Conditions as stated above relate to supply of stores / equipment /assets etc. and for specific service other terms and conditions of the Institute will apply.
-

## Uploading Tenders (e-Publishing) on the Central Public Procurement Portal (CPPP)

<b>Name of Item of Procurement</b>	<b>High performance Quadrupole Inductively Coupled Plasma Mass Spectrometer (ICPMS) with Collision and Reaction Cell using simultaneous three channel gas pneumatics.</b>
<b>No. of Covers</b>	<b>02 (Two)</b>
<b>Bid Validity in Days</b>	<b>120 Days</b>
<b>Bid Opening Place</b>	<b>Prof. Sudarsan Neogi, Chemical Engineering Department, IIT, Khargpur – 721 302</b>
<b>Bid Submission Closing Date</b>	<b>04-10-2017 at 15.00 Hrs(Indian time)</b>
<b>Bid Opening Date</b>	<b>04-10-2017 at 16.00 Hrs(Indian time)</b>
<b>Tender Submission Fee (if any)</b>	<b>-</b>
<b>Estimated Tender Value (if any)</b>	<b>-</b>
<b>EMD (if any)</b>	<b>Rs. 2,00,000.00</b>